

May 11, 2016

filename bibt.doc

- Talbot, Mignon. 1905. Revision of the New York Helderbergian crinoids. *Am. Journ. Sci.* (4) 20: 17-34. [Jerusalem Hill quarry *Protaster forbesi*]
- Talent, John A. 1964. The Silurian and Early Devonian faunas of the Heathcote District, Victoria. Geological Survey of Victoria Memoir No. 26, 55 pp. + 26 plates. [*Urosoma glabridiscus* n.sp., *Lapworthura miltoni*, Ophiuroidea indet.; Dargile Formation]
- Tasch 1980
- Tasnádi-Kubacska, A. 1962. Paläopaathologie -- Pathologie der vorzeitlichen Tiere. G. Fischer-Verlag, Jena. 269 pp.
- Taylor, W.L. and C.E. Brett. 1996. Taphonomy and paleoecology of echinoderm Lagerstätten from the Silurian (Wenlockian) Rochester Shale. *Palaios* 11(2):118-140. [*Palaeaster niagarensis*, *Protaster stellifer*]
- Termier, Henri and Geneviève Termier. 1948. Les Échinodermes du Paléozoïque Inférieur. No. 3298, Sept.-Oct. 1948, Fasc. 10 de la 86^e Année de La Revue Scientifique, pp. 613-626. [pp. 619-620 edrios, asteroids, ophiuroids. Genera cited: *Palaeasterina*, *Porania*, *Uranaster*, Uranasteridae, *Stenaster*, Auluroidea, *Aspidosoma*, Onychasteridae. p. 620 first ophiuroids (Trenton lss; e.g. *Stenaster*) appear to derive from Uranasteridae]
- Termier, Henri and Geneviève Termier. 1969. Les Stromatocystoïdes et leur descendance. Essai sur l'évolution des premiers Échinodermes. *Geobios* vol. 2, pp. 131-156.
- Tetreault, D.K. 2001. A new Silurian Konservat-Lagerstätte from the Eramosa Dolestone of the southern Bruce Peninsula, Ontario, Canada. PhD Thesis, The University of Western Ontario. 194 pp. [source Dissertation ABstracts online] [lower Ludlow; includes ophiuroids and echinoids]
- Thayer, C.W. 1972. Marine paleoecology of the Upper Devonian Genesee Group of New York. 226 pp. PhD dissertation, Yale University.
- Thayer, C.W. 1974. Marine paleoecology in the Upper Devonian of New York. *Lethaia* 7:121-155. [p. 127 Asterozoa found intact]
- Theis, Otilie. 1980. Fossilien im Bundenbacher Schiefer: Schöpfung und Geschenk. Bundenbach, self-published. 52 pp. [not seen]

May 11, 2016

- Theron, J. N. and M. R. Johnson. 1991. [Devonian][Cape Supergroup] Bokkeveld Group (including the Ceres, Bidouw & Traka Subgroups).--Catalogue of South African Lithostratigraphic Units: p. 3-3 to 3-5. [page 3-5, ophiuroids in Ceres Subgroup]
- Thienhaus, R. 1940. Die Faziesverhältnisse im Südwestteil der Attendorfer Mulde und ihre Bedeutung für die Stratigraphie des Bergisch-Sauerländischen Mitteldevons. Abhandlungen der Reichsstelle für Bodenforschung (N.F.) 199: 77 pp. [Asteroidea; source Reich 2004]
- Thomas, Erich. 1979. Schlangensterne aus dem Oberdevon des Bergischen Landes.--Aufschluss 30(9):283-286. [reports *Ophiaulax decheni*] [source p. 379 of Haude & Thomas 1989; source p. 142 Haude 1983: first report of Autobahn locality #1 with Stephanoura and Furcaster]
- Thomas, Erich. 1981. Das Unterkarbon von Aprath im Bergischen Land.--Aufschluss 32(7/8):276-306; Heidelberg. [source Haude 1982 p. 14 & 26 related to Furcaster n.sp.?)
- Thoral, Marcel. 1935. Premiere These - Contributions a l'etude geologique des Monts de Lacaune et des terrains cambriens et ordoviciens de la Montagne Noire. These presentees a la Faculte des Sciences de l'Universite de Paris pur obtenir le Grade de docteur es Sciences Naturelles. Serie A, no. 1541, no. d'ordre 2407, Paris et Liege, 318 pp., tables, 5 pls, 52 figs.
- Thoral, Marcel. 1935. Deuxieme These - Contributions a l'etude paleontologique de l'Ordovician Inferieur de la Montagne Noire et revision sommaire de la faune Cambrienne de la Montagne Noire. Theses presentees a la Faculte des Sciences de l'Universite de Paris pour obtenir le grade de Docteur Es-Sciences Naturelles. Serie A, n. 1541, no. d'ordre 2407. Imprimerie de la Charité, Montpellier, 362 pp., 15 figs., 35 pls., table. [Palaeura jacobi, Chinianaster levyi]
- Thorent, .1838. Memoire sur la constitution geologique de la partie nord du Department de l'Aisne. Mem. Soc. geol. de France, vol. 3, pp. 239-260, pl. 22. [Asterias constellata p. 259 (fide d'Orb. 1850 p. 154)]
- Thorent, . 1844. Sur l'Asterias constellata foss. Bull. Soc. geol. France, 2 ser., t. 1, pp. 208-209.
- Thuy, B. 2015. Unravelling the origin of the euryalid brittle stars: a preliminary report. pp. 185-188 In S. Zamora & I. Rábano, eds., Progress in echinoderm palaeobiology. Cuadernos del Museo Geominero, 19, Instituto Geológico y Minero de España, Madrid ISBN 978-84-7840-961-7. [Paleozoic *Onychaster* not an euryalid] [first Jurassic and Triassic ossicles of euryalids; Middle Triassic *Aspiduriella streichani* recognized as stem group or basal crown group euryalid; discussion]

May 11, 2016

- Thuy, B., and S. Stöhr. 2014. A new brittle-star phylogeny: morphology, molecules and microfossils. Abstracts of the 2014 ECE, Plymouth, England. [*Aganaster gregarius* basal crown group] [many new results: polyphyly of Ophiolepididae] [*Ophiomusium* sister to Ophiuridae] [euryalids nested within crown ophiuroids rather than as sister to them]
- Tinn, O., T. Meidla, L. Ainsaar, M. Rubel, and A. Dronov. 2011. Ordovician microfauna from the Mishina Gora section, Russia. p. 65 in E. Lukševičs, G. Stinkulis, and J. Vasiļkova (eds.), The Eighth Baltic Stratigraphical Conference, 28 August – 1 September 2011, Latvia. Abstracts. Baltic Stratigraphical Association, Department of Geology, Faculty of Geography and Earth Sciences, University of Latvia, Natural History Museum of Latvia. Riga. [record of *Bursulella*]
- Tinn, O., T. Meidla, L. Ainsaar, M. Rubel, and A. Dronov. 2011. Ordovician microfauna from the Mishina Gora section, Russia. *Joannea Geol. Paläont.* 11:204. [record of *Bursulella*]
- Titus, Robert. 1982. Fossil communities of the middle Trenton Group (Ordovician) of New York State. *Journal of Paleontology* 56(2):477-485. [no stelleroids but goes with other Titus papers that do report stelleroids]
- Titus, Robert. 1986. Fossil communities of the upper Trenton Group (Ordovician) of New York State. *Journal of Paleontology* 60(4):805-824. [p. 823 *Macroporaster matutinus* in *Liospira* community]
- Titus, Robert & Barry Cameron. 1976. Fossil communities of the lower Trenton Group (Middle Ordovician) of central and north-western New York State. *Journal of Paleontology* 50(6):1209-1225. [p. 1217, p. 1224 asteroid in *Liospira* community]
- Tortonese, Enrico. 1963. Un Somasteroide tuttora vivente: *Platasterias latiradiata* Gray (Echinodermi). *Revista di Scienze Naturali "Natura"* vol. 54, pp. 41-48. [*Villebrunaster*, *Chinianaster*, *Archegonaster* mentioned]
- Trautschold, H. 1879. Die Kalkbrüche von Mjatschkowa, eine Monographie des obern Bergkalks. Theil III. *Nouv. Mem. de la Soc. Imp. des Naturalistes de Moscou*, t. xiv, pp. 101-180, pls. XII-XVII, text-figs. Moskau: Universitäts-Buchdruckerei.
- Tripp, R. P. [see Cleevly, Tripp & Howells 1989]
- Troost, G. 1835. Description of a new species of fossil *Asterias* (*Asterias antiqua*). *Trans. Geol. Soc. Penn.*, vol. 1, pp. 232-235, pl. 10 fig. 9.
- Turek, V., R. Horný and R. Prokop. 2003. Ztracená moře uprostřed Evropy. [Vanished seas in

May 11, 2016

- the centre of Europe] [in Czech]. Academia [Akademie věd České Republiky] [ISBN 80-200-1000-9] 193 pp. [pp. 78-79 Asteriacites fallax, Kosov Formation, U. Ord.] [p. 67, 70 Taeniaster bohemicus, Bohdalec Fm] [Siluraster pp. 44, 45, 48]
- Turner, F. Rudolf. 1999. The world of microfossils: a photo gallery. MAPS Digest [Expo XXI edition] 22(4):225-230. [p. 228 SEM photo of Onychaster vertebra]
- Turner, R. L. 1999. The tagmatized echinoderm [abstract]. Beche-de-Mer Information Bulletin No. 11, p. 35. [well-developed podial pores and podia are restricted to basal segments of the ophiuroid genus Ophiomusium] [also p. 12 of Program and Abstracts North American Echinoderms Meeting, August 16-19, 1998, Wallops Island Marine Science Center, Wallops Island, Virginia]
- Twenhofel, W. H. 1928. Geology of Anticosti Island. Canadian Geological Survey Memoir 154, 481 pp., 60 plates. [p. 141, pl. IV fig. 7 H. rugosus] [Branstrattor thesis p. 123: YPM 20491A,B assigned to Hudsonaster rugosus are Mesopalaeasteridae]
- Twitchett, R.J., J.M. Feinberg, D.D. O'Connor, W. Alvarez, and L.B. McCollum. 2005. Early Triassic ophiuroids: their paleoecology, taphonomy, and distribution. *Palaios* 20:213-223. [Late Permian and Early Triassic ophiuroid taxa listed in Table 1 and text. Late Permian *Huangzhishania permotriassica* Chen et al. 2004; *Ophioderma huaanensis* Wu 1980; *Ophioderma qingchangensis* Feng 1985; *Syntomospina? kaiyangensis* Feng 1985] [lists Early Triassic *Ophiaulax bijieensis* Fang 1985, but does not take note of Devonian *Ophiaulax*]
- Twitchett, R.J. and T. Oji. 2005. Early Triassic recovery of echinoderms. *Comptes Rendus Palevol.* 4:531-542. [Late Permian *Syntomospina? kaiyanensis*, *Ophioderma qingchangensis*, *O. huaanensis*] [Age of *Huangzhishania permotriassica* may be Changhsingian] [lists Early Triassic *Ophiaulax bijieensis* Fang 1985, but does not take note of Devonian *Ophiaulax*]
- Twitchett, R.J. and S.F. Slatter. 2009. Ophiuroid palaeoecology and the Mesozoic Marine Revolution. [abstract]. p. 76 in nape-2009-abstracts.pdf North American Paleontological Convention (NAPC 2009): Abstracts.
- Twitchett, R. J., S. S. Williams & T. J. V. Kerr. 2003. The taphonomy of modern and fossil ophiuroids. Program and Abstracts 11th International Echinoderms Conference, Munich, Germany, Oct. 6-10, 2003.